

wkwprecision **Engineering**

“Competitive, Reliable, Quality Service”

Turning Capacities



Machine	Model	Max: Dia	Max: Turn
Colchester	Tornado 200	254mm	400mm
Colchester	Tornado 300	300mm	600mm
Colchester	Kombi K4	554mm	2032mm
Hardinge	Talent 10/78	356mm	560mm
Hardinge	Talent 10/78	356mm	560mm
Hardinge	GS 200	284mm	406mm
Hardinge	GS 250	356mm	600mm
Doosan	Puma 400B	550mm	1043mm
Doosan	Puma 2600	481mm	750mm
Doosan	Lynx 220B	320mm	525mm
Doosan	Lynx 220B	320mm	525mm
Binns & Berry	Data 90	750mm	250mm
Binns & Berry	Data 1000	600mm	4000mm
D. S & Grace	2415 Manual +	615mm	4000mm



Milling Capacities

Machine	Model	Max "X"	Max "Y"	Max "Z"
Hardinge	VMC 760	760mm	610mm	610mm
Hardinge	VMC 1000	1020mm	610mm	610mm
Bridgeport	VMC 800	800mm	510mm	600mm
Bridgeport	VMC 800 X	800mm	510mm	600mm
Quaser	MC184 P	1020mm	610mm	610mm
Quaser	MC184 E	1020mm	610mm	610mm
Quaser	MC184 P	1020mm	610mm	610mm
Quaser	MC184 E	1020mm	610mm	610mm





E.D.M. Capacities

Machine	Model	Max Plte X	Max Plte Y	Max Z Dim
Charmilles	440C	1200mm	700mm	400mm
Max Work	Area	300mm	350mm	400mm
Actspark	SP1	790mm	480mm	235mm
Max Work	Area	320mm	250mm	235mm
Charmilles	Form 30	1000mm	700mm	400mm
Max Work	Area	600mm	400mm	400mm

Boring Capacities

Machine	Model	Positional	X Dimen.	Y Dimen
Kearns & Richards	SH75 Borer	Horizontal	1000mm	1000mm

“Competitive, Reliable, Quality Service”